

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(crossover OR mutation OR selection) AND "sparsity coefficient" AND outlier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/30 14:15
L2	0	(crossover OR mutation OR selection) AND "sparsity coefficient" AND outlier .clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/30 14:15
L3	0	(mutation) AND "sparsity coefficient" AND outlier .clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/30 14:17

Google

+(crossover OR mutation OR selection) +"sparsity coefficient" +outlier

Search

Web Results 1 - 10 of about 31 for +(crossover OR mutation OR selection) +"sparsity coefficient" +outlier (

Example-Based Robust Outlier Detection in High Dimensional Datasetsexamples' **sparsity coefficient**, if no one is a "true" **outlier** in. the associated subspace. ... of **selection, crossover and mutation**, until the population ...

ieeexplore.ieee.org/iel5/10470/33217/01565793.pdf?tp=&isnumber=&arnumber=1565793 -

Similar pages

WCICA 2006 Paperused for **outlier** mining, the results show the effectiveness of the algorithm. Keywords—Multivariate time series, local **sparsity coefficient**, ...

ieeexplore.ieee.org/iel5/11210/36092/01714222.pdf - Similar pages

More results from ieeexplore.ieee.org »

[PPT] Outlier Detection for High Dimensional DataFile Format: Microsoft Powerpoint - [View as HTML](#)Feb 26, 2006 ... starts with a population of p random solutions and iteratively used the processes of **selection, crossover and mutation** in order to perform a ...www.cs.ust.hk/~leichen/courses/comp630j/presentations/chilly/**outlierhighdim.ppt** -

Similar pages

An effective and efficient algorithm for high-dimensional outlier ...of **selection, crossover, and mutation** to perform a combination so that it results in a high enough **sparsity coefficient**. If the ...

portal.acm.org/ft_gateway.cfm?id=1057495&type=pdf - Similar pages

Example-Based Outlier Detection for High Dimensional Datasetstion undergoes repeated processes of **selection,.. crossover and mutation**. During the evolve- average **sparsity coefficient**, until a solution ...

joi.jlc.jst.go.jp/JST.JSTAGE/ipsjdc/1.234?from=Google - Similar pages

An effective and efficient algorithm for high-dimensional outlier ...the **sparsity coefficient** S(D) of the cube D as follows:.. S(D) =. n(D) - N · f of **selection, crossover, and mutation** to perform a combination ...

www.springerlink.com/index/U1K1UFAD34N3XXVT.pdf - Similar pages

[PPT] Outlier Detection for High Dimensional DataFile Format: Microsoft Powerpoint - [View as HTML](#)1.3.1 **Sparsity Coefficient S(D)**. Outlier Detection for High Dimensional Data, ... S =**Selection(S);.. S = CrossOver(S);.. S = Mutation(S, p1, p2); ...**

www2.in.tu-clausthal.de/~hammer/lectures/somsem/talks/Aggarwal.ppt - Similar pages

[PDF] Slide 1File Format: PDF/Adobe Acrobat - [View as HTML](#)a) **Selection**: Selects solutions with most. sparse data. Solutions with more negative.**sparsity coefficient** are ranked higher. b) **Crossover**: is done to find ...

cssrd.org/img/posters/PDF/Poster%20-%20Monica%20Deshmukh.pdf - Similar pages

[PDF] Outlier Detection in ClusteringFile Format: PDF/Adobe Acrobat - [View as HTML](#)So, we define projection as **outlier** if **sparsity coefficient** is ... iteratively uses the process of **selections, crossover and mutation** in order to perform a ...

ftp://cs.joensuu.fi/pub/Theses/2005_MSc_Cherednichenko_Svetlana.pdf - Similar pages

[PDF] Summarization Techniques for Visualization of Large ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

http://www.google.com/search?q=%2B(crossover+OR+mutation+OR+selection)+%2B%2... 3/30/2008

Section 3 is devoted to **outlier** detection algorithms. In Section These three steps of

selection, **crossover**, and **mutation** are repeated until the ...

www.csc.ncsu.edu/faculty/healey/download/cstr.05b.pdf - Similar pages

1 2 3 **Next**

[+\(crossover OR mutation OR selection\) +"sparsity coefficient" +outlier](http://www.google.com/search?q=(crossover+OR+mutation+OR+selection)+%22sparsity+coefficient%22+outlier)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

Google

+(crossover OR mutation OR selection) +"sparsity coefficient" +outlier

Search

Web Results 11 - 20 of about 31 for +(crossover OR mutation OR selection) +"sparsity coefficient" +outlier.

Redefining Clustering for High-Dimensional Applications

When the **outlier** handling option is implemented, the value of the seed The cluster **sparsity coefficient** when measured in full-dimensional space for ...
doi.ieeecomputersociety.org/10.1109/69.991713 - Similar pages

[PDF] Redefining clustering for high-dimensional applications ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 feature **selection** in order to reduce the dimensionality of the cluster **sparsity coefficient**. If this value is almost one, ...
ccchen1.csie.ntust.edu.tw/students/2009/Redefining%20clustering%20for%20high-dimensional%20applications.pdf - Similar pages

[PDF] Outlier Detection in High Dimensional, Spatial and Sequential data ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 Of all the data mining techniques, **outlier** detection seems closest to the definition of " ... An efficient sampling based **outlier** detection method for large ...
www.ug.it.usyd.edu.au/~psun2712/thesis.pdf - Similar pages

[PDF] Evaluating Subspace Clustering Algorithms

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 as with feature **selection**, subspace clustering requires. a search method and an evaluation sure called the cluster **sparsity coefficient**, is provided ...
www.public.asu.edu/~huanliu/papers/siam-wk04.pdf - Similar pages

[PS] Data Mining Methods for Discovering Interesting Exceptions from an ...

File Format: Adobe PostScript
 cluster because it can be an **outlier** i.e. an example that is propose an evaluation index that they call the **sparsity coefficient** S(D) as follows: ...
www.jucs.org/jucs_12_6/data_mining_methods_for/jucs_12_06_0627_0653_suzuki.ps.gz - Similar pages

Subspace Clustering for High Dimensional Data: A Review

be an **outlier**. Usually these approaches also allow an in- stance to be an **outlier**, sure called the cluster **sparsity coefficient**, is provided which ...
portal.acm.org/ft_gateway.cfm?id=1007731&type=pdf - Similar pages

[PDF] Abstract KOCHERLAKOTA, SARAT MOHAN. Interactive Visual ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 Then, the **sparsity coefficient** of each of these combinations or solutions is Sparse element **selection**:. The basic premise of our modified **outlier** ...
www.lib.ncsu.edu/pubweb/www/ETD-db/web_root/collection/available/etd-12132006-002606/unrestricted/etd.pdf - Similar pages

[PDF] Subspace Clustering for High Dimensional Data: A Review

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 Subspace clustering is an extension of feature **selection** that sure called the cluster **sparsity coefficient**, is provided which ...
www.sigkdd.org/explorations/issues/6-1-2004-06/parsons.pdf - Similar pages

Laurel Xiao- [Translate this page]

Sparsity coefficient S(D) of cube D. S(D)= [n(D)- expected fraction ... The Evolutionary Outlier Detection Algorithm. **selection**; **crossover**; **mutation** ...
school.hk/system/tool/redirect.php?charset=big5&netroom_id=163&tool_id=2090&selected_netroom... - 89k - Cached - Similar pages

[PDF] [Building Trustworthy Recommender Systems A Thesis Submitted to the ...](#)

File Format: PDF/Adobe Acrobat

5.2.4 Detecting Shilling Attacks—An Outlier Detection Approach . 138 5.4 The Local

Outlier Factor approach considers the local density. 141 ...

www.ists.dartmouth.edu/library/328.pdf - [Similar pages](#)

[Previous](#) [1](#) [2](#) [3](#) [Next](#)

[+\(crossover OR mutation OR selection\) +"sparsity coefficient" +outlier](#)

[Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

Google

+(crossover OR mutation OR selection) +"sparsity coefficient" +outlier

Search

Web Results 21 - 22 of 22 for +(crossover OR mutation OR selection) +"sparsity coefficient" +outlier. (0.07**[PDF] MODEL-BASED LINEAR MANIFOLD CLUSTERING**File Format: PDF/Adobe Acrobat - [View as HTML](#)11.1 A summary of the line detector **selection** experiment. The table shows 11.7 The forward **selection** subroutine used to gradually extend the subspace ...
acc6.its.brooklyn.cuny.edu/~rbharpaz/thesis.pdf - [Similar pages](#)**[PDF] INPE-00000-TDI/0000 UMA METODOLOGIA PARA DETECÇÃO DE ATAQUES NO ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)INPE-00000-TDI/0000. UMA METODOLOGIA PARA DETECÇÃO DE ATAQUES NO TRÁFEGO DE REDES BASEADA EM REDES NEURAIS. Lília de Sá Silva ...
mtc-m17.sid.inpe.br/rep-/sid.inpe.br/mtc-m17@80/2007/07.31.12.49 - [Similar pages](#)*In order to show you the most relevant results, we have omitted some entries very similar to the 22 already displayed.**If you like, you can [repeat the search with the omitted results included](#).*[Previous](#) [1](#) [2](#) [3](#)

+(crossover OR mutation OR selection) +"sparsity coefficient" +outlier

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

[Help](#)

[Home](#)

[Quick](#)

[Advanced](#)

[Pat Num](#)

[Order Copy](#)

[PTDLS](#)

Searching US Patents Collection...

Results of Search in US Patents Collection db for:

((crossover OR mutation) OR selection) AND "sparsity coefficient") AND outlier): 0 patents.

No patents have matched your query

[Refine Search](#)

(crossover OR mutation OR selection) AND "sparsity

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase His](#)

Welcome United States Patent and Trademark Office

 Search Results[BROWSE](#)[SEARCH](#)[IEEE Xplore GUIDE](#)

Results for "(((crossover or mutation or selection) and 'sparsity coefficient' and outlier)<in>metadata)"

Your search matched 0 of 1761903 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance in Descending order**.[Modify Search](#) [Check to search only within this results set](#)[» Search Options](#)

Display Format:


 [Citation](#) [Citation & Abstract](#)[View Session History](#)[New Search](#)[IEEE/IET](#)[Books](#)[Educational Courses](#) [IEEE/IET journals, transactions, letters, magazines, conference proceedings, and standards.](#)[» Key](#)

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

[Select All](#) [Deselect All](#)

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search

Indexed by
[Help](#) [Contact](#)[© Copy](#)

 **PORTAL**
USPTO

Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library The Guide

 Feedback

(crossover OR mutation OR selection) AND "sparsity coefficient"
AND outlier

Terms used: **crossover mutation selection sparsity
coefficient outlier**

Found 1 of 241,122

Sort results relevance Save results to a Binder

Display results expanded form Open results in a new window

Refine these results with Advanced Search

Try this search in The ACM Guide

Results 1 - 1 of 1

1 An effective and efficient algorithm for high-dimensional outlier detection

Ads by Google

C. Aggarwal, S. Yu

April 2005 **The VLDB Journal — The International Journal on Very Large Data Bases**, Volume 14 Issue 2

Publisher: Springer-Verlag New York, Inc.

Full text available:  [pdf\(162.48 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#)

The outlier detection problem has important applications in the field of fraud detection, network robustness analysis, and intrusion detection. Most such applications are most important for high-dimensional domains in which the data can contain hundreds ...

Online Journals
Full-text journals for academic research at Questia Online Library.
www.Questia.com/Journals

Keywords: Data mining, High-dimensional spaces, Outlier detection

\$1,000,000,000 in a Day?
How You Too Can Invest in the Same Market the Mega-Rich Make Billions!
MoneyAndMarkets.com

Global Finance Conference
15th Annual Conference-
Register Now Hangzhou, China - May 18-20, 2008
www.glofin.org

Science Job Openings
Search Science Magazine's Career Database. Post your resume Free!
www.ScienceCareers.org

Results 1 - 1 of 1

